

Ground Fielding Drill Progress Tracker - Build a Reliable Baseline

Ground Fielding | Build a Reliable Baseline | Asset ID CRIC-19-05-01

Purpose: This original printable drill progress tracker helps players, coaches, clubs, schools and families work with ground fielding while pursuing one defined outcome: understand the current skill before changing technique. Its method is to set a baseline, repeat a defined drill and compare like with like. Use the pages as a working record, not as a substitute for current competition rules, safe facilities, suitable equipment and qualified coaching or health guidance where those are needed.

Resource Map

The subject focus is to close space, stay balanced and choose a collection method suited to the ball. The six working areas below define the scope for this specific resource. Complete only the rows that matter to the present practice block, and date any observation that may change.

#	Working area	Current evidence	Next check
1	Approach Angle	Known / estimated / not checked	_____
2	Body Height	Known / estimated / not checked	_____
3	Two-Hand Pickup	Known / estimated / not checked	_____
4	One-Hand Pickup	Known / estimated / not checked	_____
5	Clean Transfer	Known / estimated / not checked	_____
6	Throw Decision	Known / estimated / not checked	_____

Foundation Starting Brief

- Survey: Which evidence separates approach angle from body height in this case? Survey the present state before setting a target.
- Select: How does two-hand pickup change the interpretation of one-hand pickup? Select the smallest useful starting point.
- Bound: What boundary on clean transfer must be checked before relying on throw decision? Bound the work by time, scope and available support.
- Prepare: Which observation links body height to clean transfer, and what remains uncertain? Prepare the materials, conditions and owner.
- Begin: What alternative explanation could account for both one-hand pickup and approach angle? Begin with one observable action.
- Edition success means: record several comparable attempts and a clear starting measure

Drill Progress Tracker

This format is designed to measure consistency across sessions instead of chasing one best attempt. For ground fielding, apply the method in a deliberate sequence: set a baseline, repeat a defined drill and compare like with like. The edition target is build a reliable baseline, so each entry should show what was noticed, what was tried and what changed.

Working step	What to record	Evidence or source	Status
Survey Approach Angle	Which evidence separates approach angle from body height in this case?	Starting view / date	Open / checked
Select Body Height	How does two-hand pickup change the interpretation of one-hand pickup?	First priority / date	Open / checked
Bound Two-Hand Pickup	What boundary on clean transfer must be checked before relying on throw decision?	Boundary / date	Open / checked
Prepare One-Hand Pickup	Which observation links body height to clean transfer, and what remains uncertain?	Readiness / date	Open / checked
Begin Clean Transfer	What alternative explanation could account for both one-hand pickup and approach angle?	First result / date	Open / checked
Confirm Throw Decision	What next check on throw decision would make the record about two-hand pickup more useful?	Foundation check / date	Open / checked

Completion Standard

- Keep the work tied to ground fielding, not to a vague general intention.
- Apply this adjustment: use one repeatable drill at comfortable intensity
- Is the foundation small, clear and evidenced enough to continue?
- Expose this outcome risk if it appears: the first target is too large.
- Use original notes and explanations; quote only when necessary, lawful and properly attributed.
- Ask a qualified coach, safeguarding lead or health professional to challenge one material assumption where appropriate.
- Close with one decision and one follow-up rather than an unranked list of ideas.

Working Note

Edition CRIC-19-05-01 pairs drill progress tracker with the outcome 'Build a Reliable Baseline'. That pairing is the boundary for this workbook: material that does not help that outcome belongs in a separate record.

Quality Control x Foundation Focused Practice Lab

This lab pairs a quality control method with a foundation outcome lens. Work through the six actions to turn the subject focus - close space, stay balanced and choose a collection method suited to the ball - into evidence for build a reliable baseline. Preserve any gap that prevents a supported conclusion.

#	Action	Constraint	Record
1	Define / Survey body height	Which evidence separates approach angle from body height in this case? Survey the present state before setting a target.	Standard / Starting view
2	Inspect / Select two-hand pickup	How does two-hand pickup change the interpretation of one-hand pickup? Select the smallest useful starting point.	Finding / First priority
3	Flag / Bound one-hand pickup	What boundary on clean transfer must be checked before relying on throw decision? Bound the work by time, scope and available support.	Exception / Boundary
4	Correct / Prepare clean transfer	Which observation links body height to clean transfer, and what remains uncertain? Prepare the materials, conditions and owner.	Correction / Readiness
5	Recheck / Begin throw decision	What alternative explanation could account for both one-hand pickup and approach angle? Begin with one observable action.	Recheck / First result
6	Release / Confirm approach angle	What next check on throw decision would make the record about two-hand pickup more useful? Confirm what is ready for the next cycle.	Disposition / Foundation check

Common Failure Modes

- For body height, watch for the standard is undefined together with the starting state is assumed.
- For two-hand pickup, watch for inspection evidence is missing together with the first target is too large.
- For one-hand pickup, watch for the gap affects several areas together with the scope has no boundary.
- For clean transfer, watch for the correction changes scope together with required support is missing.
- For throw decision, watch for the recheck uses different criteria together with several actions start together.

Independent Review Question

Format question: Did the correction resolve the defined gap without creating another one? Outcome question: Is the foundation small, clear and evidenced enough to continue? Ask a qualified coach, safeguarding lead or health professional where appropriate, then answer before the next practice block: _____

Cricket Practice Plan for Build a Reliable Baseline

Use one defined practice block to test the outcome rather than attempting every possible task. This edition pairs quality control with foundation to pursue this objective: understand the current skill before changing technique. Preserve the starting condition and both evidence trails.

Plan field	Entry
Purpose	Build a Reliable Baseline
Starting condition	_____
Chosen working area	_____
Readiness	use one repeatable drill at comfortable intensity
Evidence to capture	_____
Stop or review condition	_____

Thirty Minute Practice Shape

Stage	Action	Evidence
0-5 min	Which evidence separates approach angle from body height in this case? Define the acceptance standard.	Standard / Starting view
5-10 min	How does two-hand pickup change the interpretation of one-hand pickup? Inspect against the same criteria.	Finding / First priority
10-18 min	What boundary on clean transfer must be checked before relying on throw decision? Classify the gap and its consequence.	Exception / Boundary
18-24 min	Which observation links body height to clean transfer, and what remains uncertain? Apply one controlled correction.	Correction / Readiness
24-27 min	What alternative explanation could account for both one-hand pickup and approach angle? Repeat the original check.	Recheck / First result
27-30 min	What next check on throw decision would make the record about two-hand pickup more useful? Release, hold or escalate with a reason.	Disposition / Foundation check

Quality Check Log

Quality Check	Condition	Observation	Decision
1	Same / changed	_____	Keep / change / check
2	Same / changed	_____	Keep / change / check
3	Same / changed	_____	Keep / change / check
4	Same / changed	_____	Keep / change / check
5	Same / changed	_____	Keep / change / check

Before and After Quality Check - Foundation Lens

This comparison tests ground fielding against build a reliable baseline through two independent questions. Format: Did the correction resolve the defined gap without creating another one? Outcome: Is the foundation small, clear and evidenced enough to continue? Record material setting differences instead of averaging them away.

Evidence area	Baseline	Alternative	Interpretation prompt
Throw Decision	_____	_____	Which evidence separates approach angle from body height in this case?
Approach Angle	_____	_____	How does two-hand pickup change the interpretation of one-hand pickup?
Body Height	_____	_____	What boundary on clean transfer must be checked before relying on throw decision?
Two-Hand Pickup	_____	_____	Which observation links body height to clean transfer, and what remains uncertain?
One-Hand Pickup	_____	_____	What alternative explanation could account for both one-hand pickup and approach angle?
Clean Transfer	_____	_____	What next check on throw decision would make the record about two-hand pickup more useful?

Format Decision Test

Field	Record
Review question	Did the correction resolve the defined gap without creating another one?
Outcome question	Is the foundation small, clear and evidenced enough to continue?
Acceptance lens	record several comparable attempts and a clear starting measure
Conditions held steady	_____
Evidence supporting the choice	_____
Evidence against the choice	_____

Quality Control Confidence Check

- Starting view: what was actually seen, heard, measured or read?
- Format evidence: which record best demonstrates items inspected?
- Outcome evidence: which record best demonstrates first priority selected?
- Challenge: could readiness is declared without evidence explain the result?
- Subject boundary: what does this comparison leave unresolved about approach angle?

Quality Control x Foundation Scenario Cards

Use these paired scenarios to rehearse judgement for build a reliable baseline. Each card joins a quality control failure mode to an outcome-specific risk. State what remains open and which evidence named in the final column should be collected next.

#	Situation	Review question	Decision
1	Approach Angle: inspection evidence is missing.	Which evidence separates approach angle from body height in this case?	Starting view
2	Body Height: the gap affects several areas.	How does two-hand pickup change the interpretation of one-hand pickup?	First priority
3	Two-Hand Pickup: the correction changes scope.	What boundary on clean transfer must be checked before relying on throw decision?	Boundary
4	One-Hand Pickup: the recheck uses different criteria.	Which observation links body height to clean transfer, and what remains uncertain?	Readiness
5	Clean Transfer: release authority is unclear.	What alternative explanation could account for both one-hand pickup and approach angle?	First result
6	Throw Decision: the standard is undefined.	What next check on throw decision would make the record about two-hand pickup more useful?	Foundation check

Decision Record

Field	Notes
Chosen format scenario	_____
Outcome lens	Is the foundation small, clear and evidenced enough to continue?
Evidence available	_____
Evidence missing	_____
Controlled next step	_____
Person / review date	_____

Eight Quality Control and Foundation Evidence Tracker

Track build a reliable baseline across eight practice blocks using the quality control method and the foundation outcome lens. Keep conditions visible and use this review question: Is the foundation small, clear and evidenced enough to continue?

#	Focus	Condition	Result	Next action
1	Approach Angle	_____	_____	_____
2	Body Height	_____	_____	_____
3	Two-Hand Pickup	_____	_____	_____
4	One-Hand Pickup	_____	_____	_____
5	Clean Transfer	_____	_____	_____
6	Throw Decision	_____	_____	_____
7	Approach Angle	_____	_____	_____
8	Body Height	_____	_____	_____

Quality Control Evidence Dashboard

Measure	Baseline	Current	Evidence location
Approach Angle: Standards Defined / Starting Conditions Recorded	_____	_____	_____
Body Height: Items Inspected / First Priority Selected	_____	_____	_____
Two-Hand Pickup: Gaps Classified / Scope Boundaries Stated	_____	_____	_____
One-Hand Pickup: Corrections Completed / Readiness Items Confirmed	_____	_____	_____
Clean Transfer: Rechecks Passed / First Actions Completed	_____	_____	_____
Throw Decision: Holds Explained / Next Cycles Approved	_____	_____	_____

Interpret the Trend

- I recorded a real starting point rather than an idealised one.
- I chose a first step that can be checked before the work expands.
- Keep the method only when the evidence for build a reliable baseline improves without hiding readiness is declared without evidence.
- How does two-hand pickup change the interpretation of one-hand pickup?
- Use a qualified coach, safeguarding lead or health professional when the evidence crosses a safety, rights, health or authority boundary.

Quality Control x Foundation Next Step Plan

Finish by turning the paired format and outcome record into one owned action. For this drill progress tracker, the intended result was build a reliable baseline; the outcome test is: Is the foundation small, clear and evidenced enough to continue? The close-out standard remains: record several comparable attempts and a clear starting measure.

Close-out field	Record
Most useful evidence	_____
Important limitation	_____
Decision	Keep / adapt / pause / seek review
Next action	_____
Owner and date	_____
Evidence location	_____

Completion Review

- Subject check: Which evidence separates approach angle from body height in this case?
- Subject check: How does two-hand pickup change the interpretation of one-hand pickup?
- Format check: I recorded a reason for release, hold or escalation.
- Outcome check: I chose a first step that can be checked before the work expands.
- I used a progressive warm-up and did not ignore pain, unsafe surfaces, heat or fatigue.
- I kept the drill generic and did not imply affiliation with a player, team, league or governing body.

Originality and Responsible Use

Original independent resource. This general practice, observation and review aid was written specifically for asset CRIC-19-05-01. It does not reproduce a book passage, manual, official form, commercial question bank, branded training plan, broadcast, photograph, logo, artwork, map, proprietary diagram or third-party worksheet. Any user-added quotation, image, question or source material remains the user's responsibility and may require attribution or permission.

Educational use only. Verify current facts, rules, competition requirements, local regulations, health and safety conditions with authoritative sources and a suitably qualified person where consequences matter. This workbook does not grant approval, certification, legal rights or permission to use third-party material.